Name.....

232/1 PHYSICS Paper 1 (THEORY) Oct./Nov. 2014 2 hours



Index No...../...../

Candidate's Signature.....

Date.....



THE KENYA NATIONAL EXAMINATIONS COUNCIL Kenya Certificate of Secondary Education

PHYSICS Paper 1 (THEORY) 2 hours

Instructions to candidates

Write your name and index number in the spaces provided above. (a)

Sign and write the date of examination in the spaces provided above. *(b)*

This paper consists of two sections; A and B. (c)(d)

Answer all the questions in sections A and B in the spaces provided.

- (e) All working must be clearly shown.
- Silent non programmable electronic calculators may be used. (f)

This paper consists of 13 printed pages. (g) (h)

Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

Candidates should answer the questions in English. (i)

Section	Question	Maximum Score	Candidate's Score
A	1 - 14	25	
	15	11	
	16	11	
В	17	12	
	18	10	
	19	11	
Total Score		80	

For Examiner's Use Only

914028

© 2014 The Kenya National Examinations Council 9400000

SECTION A: (25 marks) Answer **ALL** the questions in this section in the spaces provided.

- A student measured the length of a wire four times using a metre rule and obtained the following readings: 18.6 cm; 18.5 cm; 18.6 cm and 18.5 cm. Determine the length the student should record. (2 marks)
- 2. Figure 1 shows a magnified scale of a micrometer screw gauge.



Record the reading indicated.(1 mark)

- 3. State the reason why it is not correct to quote the weight of solid objects in kilograms. (1 mark)
- Figure 2 shows a section of a curved surface ABCD. Point A is higher than point B while BCD is horizontal. Part ABC is smooth while CD is rough. A mass m is released from rest at A and moves towards D.



State the changes in the velocity of **m** between:

- a) B and C
- (b) **C** and **D**

(1 mark) (1 mark) 5. **Figure 3** shows two cylinders of different cross-sectional areas connected with a tube. The cylinders contain *an* incompressible fluid and are fitted with pistons of cross-sectional areas 4cm³ and 24 cm³



Opposing forces **P** and **Q** are applied to the pistons such that the pistons do not move. If the pressure on the smaller piston is 5 N cm^3 . Determine force **Q**. (2 marks)

- 6. An oil drop of volume V m³ introduced on the surface of water spreads to form a patch whose area is A m³. Derive an expression for obtaining the diameter, d of a molecule of oil . (2 marks)
- 7. **Figure** 4 shows a source of heat placed at equal distances from two identical flasks **X** and **Y** containing air. The surface of **X** is painted black while Y is clear.



X and Y are linked by a U-tube filled with water whose levels S and T are initially the same. It is later observed that S falls while T rises. Explain this observation. (2 mark)

8. Figure 5 shows a uniform rod 4 m long and of mass 2 kg. It is pivoted 1m from one end and balanced horizontally by a string attached near the other end.



Determine the position where a mass of 5 kg should be placed on the rod so that the rod remains horizontal and the tension in the string is zero. (3 marks)

9. Figure 6 shows two identical rods JK and LK connected with a hinge at K.



The position of the centre of gravity for the system is at **P**. The arrangement is now adjusted so that **J** and L move equal distances towards O. Sketch the new arrangement on the same diagram and mark the new position of the centre of gravity. (2 marks)

- 10. A light spiral spring extends by 4 mm when loaded with a weight W. The spring is connected in series with an identical spring. The combination is loaded with the weight W. Determine the extension of the combination. (2 marks)
- 11. **Figure 7** shows an incompressible fluid flowing through a pipeA₁ and A₂, are the crosses areas of the pipes in the larger section and smaller section of the pipe respectively. While V₁ and V₂, are speeds of the fluid at the two sections of fee pipe.



Derive an expression for the ratio of the speeds $\frac{V_2}{V_1}$ in terms of A₁ and A₂.

(2 marks

12. On the axis provided, sketch the graph which shows the relationship between volume temperature of a fixed mass of water in the temperature range 0°C to 10°C. (Imk)



13. Figure 8 shows a graph of the variation of temperature with time for a pure substance heated at a constant rate.



Assuming that heat transfer to the surroundings is negligible, state the changes observed on the substance in region:

a) BC;	((1 ו	mark	()
---------------	---	------	------	----

- b) **DE**; (1 mark)
- 14. In a smoke cell experiment to demonstrate Brownian motion, smoke particles are seen moving randomly. State the cause of the randomness (1 mark)

SECTION B : (55marks)

Answer **all** the questions in this section in the spaces provided.

15. Figure 9 shows a velocity-time graph for the motion of a body of mass 2 kg.



(a) Use the graph to determine the:

(i)	displacement of the body after 8 seconds.	(3 marks)
(ii)	acceleration after point B ; .	(3 marks)
(iii)	force acting on the body in part (a) (ii).	(3 marks)

- (b) Sketch a displacement-time graph for the motion from point **A** to **C**. (2 marks)
- 16. **Figure 10** shows a trolley of weight 20 N pulled by a force of 4 N from the bottom to the top of an inclined plane at a uniform speed.



(a) ((i) State the value of the force acting downwards along the inclined plane.	(1 mark)
	(ii)) Explain how the value in part (a) (i) is obtained.	(2 marks)
(b) F (ij	For the system, determine the:) mechanical advantage;	(3 marks)
	(ii	i) velocity ratio;	(3 marks)
	(ii	ii) efficiency	(2 marks)
17.	(a)	A long horizontal capillary tube of uniform bore sealed at one end contain by a drop of mercury. The length of the air column is 142 mm at 17°C. Det of the air column at 25°C.	ermine the length (3 marks)
	(b)) The pressure of the air inside a car tyre increases if the car stands out in time on a hot day. Explain the pressure increase in terms of the kinetic t (3 marks)	n the sun for some heory of gases.
(c)	In 1(ca (Tak 1(an experiment to determine the specific latent heat of vapourization of water 0 g at 100°C is passed into 100 g of water initially at 20°C in a container of ne apacity. The temperature of the water rises to 70°C. The specific heat capacity of water as $4.2 \times 10^3 J kg^{-1} K^{-1}$ and the boiling por 00°C.	, steam of mass egligible heat <i>int of water as</i>
	(i)	Determine the specific latent heat of vapourization of water. (4	marks)
	(ii)	State two sources of error in this experiment (2	mark)
18.	(a)Wh St	nen a bus goes round a bend on a flat road, it experiences a centripetal force. ate what provides the centripetal force. (1	mark)
	b) Sta	ate the purpose of banking roads at bends (1	mark)
(c) (A student whirls a stone of mass 0.2 kg tied to a string of length 0.4 m in a v constant speed of 2 revolutions per second. Take acceleration due to gravity g as 10 ms ⁻²)	ertical plane at a
	i	i) State two forces acting on the stone when it is at the highest point.	(2 marks)
		(ii) Determine the:I angular velocity of the stone;	(3 marks)
		II tension in the string when the stone is at the highest point; (3)	marks)

19 **Figure 11** shows a test-tube whose cross-sectional area is 2 crn² partially filled with lead shot floating vertically in water.



(Take gravitational acceleration as 10 ms $^{-2}$ and density of water p_w as 1 g cm $^{-3}$)

(a)	(i) I	Determine the: volume of the water displaced;	(2 marks)
	II	weight of water displaced.	(3 marks)
	(ii)	State the combined weight of the test-tube and the lead shot.	(1 mark)

- (iii) Determine the length of the test-tube that would be submerged in a liquid of density 0.8 gcm⁻³. (4 marks)
- (b) The set up in **figure 11** can be used as a hydrometer to measure densities of liquids. State how such a hydrometer would be improved to measure small differences in densities of liquids . (1 mark)

Name

232/2 PHYSICS Paper 2 (Theory) Oct/Nov. 2014 2 hours



Index Number	
Candidate's Signature	
Date	



THE KENYA NATIONAL EXAMINATIONS COUNCIL Kenya Certificate of Secondary Education PHYSICS Paper 2 (Theory) 2 hours

Instructions to candidates

- (a) Write your name and index number in the spaces provided above.
- (b) Sign and write the date of the examination in the spaces provided.
- (c) This paper consists of TWO sections: A and B.
- (d) Answer all the questions in sections A and B in the spaces provided.
- (e) All working must be clearly shown.
- (f) Silent non programmable electronic calculators may be used.
- (g) This paper consists of 15 printed pages.
- (h) Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.
- (i) Candidates should answer the questions in English.

For Examiner's Use Only

Section	Question	Maximum Score	Candidate's Score
A	I - 13	25	
	14	13	
	15	11	
В	16	11	
	17	09	
	18	11	
	Total	80	

SECTION A (25 marks) Answer all the questions in this section in the spaces provided.

1. **Figure 1** shows two parallel rays from a distant object passing through a convex lens:



(b) Determine the focal length of the lens.

(1 mark)

- 2. State the effect of decreasing the distance between the plates of a parallel plate capacitor on the capacitance (1 mark)
- 3. **Figure** 2 shows circular waves originating from the principal focus F of a concave mirror and moving towards the mirror.



Complete the diagram to show the reflected waves.

(1 mark)

4. The frequency of an electromagnetic wave is 4.0 X 10⁶ Hz, Determine its wavelength, *(take speed of light as 3.0 X 10⁸ ms⁻¹)*. (3 marks)



5. **Figure 3** shows a nail on which a wire is to be wound to make an electromagnet.

By drawing, show how the wire should be wound around the nail so that end A becomes a north pole and end B a south pole. (1 mark)

- 6. It is observed that when the cap of an uncharged electroscope is irradiated with light of high frequency, the leaf of the electroscope rises. Explain this observation. (3 marks)
- 7. Figure 4 shows the magnetic field pattern around two bar magnets placed side by side.



Indicate on the diagram the poles of each magnet.(1 mark)

8. Figure 5 shows a graph of current against voltage for a semiconductor diode.



In the space provided, draw a circuit diagram that may be used to obtain values needed to draw the graph in **figure 5.** (3 marks)

9. Radium undergoes radioactive decay by emitting an alpha particle to form a daughter nuclide **Q** as in the reaction:

²²⁶₈₈ Ra \longrightarrow Alpha particle +^x_yQ Determine the values of:

(a)	х	(1 mark)
(b)	у	(1 mark)

- 10. State two uses of a charged gold leaf electroscope.(2 marks)
- 11. The anode of an x-ray tube becomes hot when the tube is in use. State the reason for this. (1 mark)
- 12. Draw a ray diagram to show how a ray of light may be totally internally reflected two times in an isosceles right angled glass prism. (Assume that the critical angle of glass is 42°) (2 marks)
- The current of electrons hitting the screen of a cathode ray oscilloscope is 2.0 X 10⁻⁴ A. Determine the number of electrons that strike the screen each second, (take charge of an electron as 1.6 x 10⁻¹⁹C). (3 marks)

SECTION B (55 marks) Answer all the questions in this section in the spaces provided.

14. a) Figure 6 shows a simple electric bell circuit.



Ns

15.

	primary coil and Ns is the number of turns in the secondary coil)	(3 marks)
(ii)	the power input of the transformer.	(3 marks)
(iii)	the power output of the transformer.	(1 mark)
(iv)	the efficiency of the transformer.	(2 marks)

16. (a) **Figure 7** shows resistors R₁ and R₂ connected in parallel. Their ends are connected to a battery of potential difference V volts.



(i)	In terms of V_1 , R_1 and R_2 , write an expression for: (I) current I ₁ through R_1 .		
	(11)	current I_2 . through R_2	(1 mark)

- (III) total current I in the circuit. (1 mark)
- (ii) Show that the total resistance R_T is given by $R_T = R_1 R_2$ (3 marks

 $R_1 + R_2$

(b) **Figure 8** shows a negatively charged rod placed near an uncharged conductor resting on an insulating support.



(i) Show the charge distribution on the conductor.

(2 marks)

- (ii) State the effect:
 - (I) of momentarily touching the conductor with a finger while the charged rod is still near the conductor. (1 mark)
 - (II) on the charge distribution of withdrawing the negatively charged rod after momentarily touching the conductor. (1 mark)
- (iii) In the space provided, sketch a diagram to show how the charge in ii (II) would have been distributed if the conductor was a sphere. (1 mark)
- 17. (a) **Figure 9** shows two speakers S₁ and S₂ which produce sound of the same, frequency. They are placed equidistant from a line **AB** and a line **PQ**. (*PQ is perpendicular to line AB*).



- (i) A student walking from A to B hears alternating loud and soft sounds. Explain why at some point the sound heard is soft. (2 marks)
- ii) The student now walks along line **PQ**. State with reason the nature of the sound the student hears. (3 marks)
- (b) **Figure 10** shows sound waves in air produced by a vibrating tuning fork. **R** is an air molecule on the path of the waves.



- (i) Using a line, indicate on the diagram a distance **d** equal to one wavelength of the wave. (1 mark)
- (ii) In the space provided, show with an arrow the direction of motion of the air molecule R as the waves pass.
 (1 mark)
- (iii) Explain the reason for the answer in (ii). (2 marks)
- 18. **Figure 11** shows an object placed 10 cm infront of a concave mirror whose radius of curvature is 40 cm.



(b) Draw a ray diagram to show the formation of a partially dark shadow and a totally dark shadow during the eclipse of the sun. (3 marks)